



SGMW Product Showcase



SGMW Export Product Portfolio

CAR

A Size /A00 Class/
Micro ($\leq 3.8m$)



MINI EV-E50

B Size /A0 Class/
Small ($3.8m\sim 4.5m$)



Bingo Series
-E260

Yunduo
-EQ100



Xingchi
-310S


Yep Plus
-E260S Plus



Hongguang S
-CN115



Hongguang
-N510M



Zhiguang
-N111



Rongguang L
-N300L



Rongguang V
-CN110V



Zhiguang PU
-N111P

Rongguang PU
-N300P

C Size /A Class/
Compact
($4.5m\sim 4.8m$)



Xingguang-F510C



Asta-730S Hongguang S3-CN120S
Yunhai-F410S Xingguang S-F510S

D Size /B Class/
Mid ($4.8m\sim 5.2m$)



Yangguang-N350V

E Size /C Class/
Large ($\geq 5.2m$)



Rongguang PU-N350P

Electrical Vehicles



E50 MCE Pro



E260 Bingo



E260 MCE Bingo
Plus



F510C Xingguang



F510S Xingguang S



EQ100 Yunduo




F410S Yunhai




N350V Yangguang

SUV-C Wuling Xingguang S (F510S)





SUV-C Wuling Xingguang S (F510S)



Specification			Feature		
Model	S15 DHE PHEV	EV		LV0	LV1
L/W/H (mm)	4745/1890/1680			•	•
Wheel Base(mm)	2800			•	•
Tread (mm)	1610/1620			•(PHEV)	•(PHEV)
Ground Clearance(Laden mm)	160			•(EV)	•(EV)
Curb Weight	1680-1790			-(60km)/•	•
■ Engine/Motor/Battery			■ Charging & Battery		
Battery Capacity(kwh)	9.5/20.5	60	Battery Heating	•	•
Peak Power (kw/r/min)	78+150	150	Battery Cooling	•	•
Peak Torque (N.m/r/min)	130+310	310	3.3KW AC charger		
Driving Type	FF		6.6KW AC charger		
CLTC Range(km)	60/130	510	DC Fast charging		
Charging(AC SOC 20%-100%)	3.5h/6.5h	10h			
Charging(DC fast change SOC 30%-80%)	-/30min	20min			
■ Chassis			■ Exterior Equipment		
Steering	EPS		Premium Alloy Wheel	•	•
Brakes	Front Disk & Rear Disk		Roof Rack	•	•
Suspension (front)	McPherson Stru.		LED Lens Headlamps	•	•
Suspension (rear)	Torsion beam Independent		Rear Fog Lamp	•	•
Tire	235/55 R18		LED DRL	•	•
■ Capacity			■ Interior Equipment		
Seating Capacity	5		Simulated Leather Seat	•	•
Fuel Tank (L)	53	-	Second Row 40/60 Seat w/ back reclined	•	•
Acceleration 0-100km (s)	9.2	8.9	8.8" cluster	•	•
Max Speed (km/h)	170	175	■ Safety Equipment		
Gradability	≥30%	≥20%	ESC+ABS+EBD+VDC+TCS+HBA+HHC+ESS+TPMS	•	•
			Dual Frontal Airbags+Side Airbags+Side Curtain	•	•
			Rear Sensor-4 points	•	•
			Front Sensor-2 points	-(60km)/•	•
			■ Comfort Equipment		
			Panoramic Sunroof	-	•
			Auto A/C	•	•
			Keyless Entry	•	•
			6-way Power Driver Seat+ 4-way Manual Co-driver Seat	•	-
			6-way Power Driver Seat+ 4-way Power Co-driver Seat	-	•
			Front Seat heating & Ventilation+Rear seat heating	-	•
			2 Intelligent Keys	•	•
			Intelligent driving Package(AEB+FCW+LDW)	-	•
			Power Tailgate	-	•
			■ Entertainment Equipment		
			15.6" Screen W/ Reverse Image + Reverse Sensor	•(60km)	-
			15.6" Screen W/ 360° +180° image	•	•
			Radio+USB +Bluetooth+Wifi+Car Network	•	•
			Speaker	6	9

注：以上信息仅供参考并将不时更新，SGMW对以上信息拥有最终解释权 This information is for reference only, and may be amended from time to time. SGMW reserves the right of final interpretation.

CAR-C Wuling Xingguang (F510C)






CAR-C Wuling Xingguang (F510C EV/PHEV)

Specification			Feature	LV0	LV1
Model	F510C EV	F510C PHEV		410KM EV 70KM PHEV	510KM EV 150KM PHEV
L/W/H (mm)	4835/1860/1515				
Wheel Base(mm)	2800				
Tread (mm)	1610/1620				
Fuel tank volume (L)	—	53			
Ground Clearance(Laden mm)	120				
■ Engine/Motor					
Battery Capacity (KWh)	42/54	9.5/20.5			
Total power (kW)	100	75+130			
Driving Type	FF				
CLTC Mileage/Equivalent full electric mileage(km)	410/510	70/150			
Max Speed (km/h)	150	145	ESC+ABS+EBD+TPMS+HHC +AUTO HOLD+ISO-FIX	●	●
AC Charging Power (kW)	TBD	TBD	Driver + Co-Driver Airbags	●	●
Transmission type	—	DHT	Front Side Airbags	●	●
Displacement (ml)	—	1498	Side Curtain Airbag	—	●
Comprehensive fuel consumption (L/100 km)	—	3.98 /4.09	Cluster	7'	8.8'
■ Chassis			Infotainment system	10.1'	15.6'
Steering	EPS		Reverse Image	●	●360°
Brakes	Front Disk & Rear Disk		Center Door Lock-Front	●	●
Parking Brake	EPB		■ Comfort Equipment		
Suspension (front)	McPherson Stru.		Auto Air-conditioner	●	●
Suspension (rear)	Torsion beam		Keyless Entry	●	●
Tire	215/55 R17 or 215/55 R18		Four-way Adjustable Co-driver Seat	Manual	Electric
■ Capacity			Six-way Electric Adjustable driver Seat	Electric	Electric
Seating Capacity	5		1 Folding Remote Control Key + 1 PEPS System Key	●	●
			Cruise Control	●	●
■ Entertainment Equipment			■ Entertainment Equipment		
			Radio+4G network +USB +Bluetooth +Wireless Mobile-link	●	●
			Speaker	4	6


注：以上信息仅供参考并将不时更新，SGMW对以上信息拥有最终解释权 This information is for reference only, and may be amended from time to time. SGMW reserves the right of final interpretation.

CAR-B Wuling Bingo (E260)






CAR-B Wuling Bingo (E260)



Specification		Feature	LV0	LV1
Model	E260	■ Charging & Battery		
L/W/H (mm)	3950/1708/1580	30KW Motor (203km range only)	●	●
Wheel Base(mm)	2560	50KW Motor (333/410km range)	●	●
Tread (mm)	1488/1472	3.3KW charger	●	●
Ground Clearance(Laden mm)	115	DC Fast charging (333/410km range only)	●	●
■ Motor & Battery		■ Exterior Equipment		
Peak Power (kw/r/min)	30/50/50	Steel Wheel	●	●
Peak Torque (N.m/r/min)	110/150/125	Halogen Headlamps	●	—
Driving Type	FF	LED Headlamps	—	●
CLTC Mileage(km)	203/333/410	Rear Fog Lamp	●	●
Charging(AC SOC 20%-100%)	5.5h(203km)/9.5h(333km)/12h(410km)	LED DRL	—	●
Charging(DC fast change SOC 30%-80%)	-/35min/35min	■ Interior Equipment		
■ Chassis		Fabric Seat	●	—
Steering	EPS	PVC Clothing Seat	—	●
Brakes	Front Disk & Rear Drum	Second Row 50/50 Seat W/Folding	●	●
Suspension (front)	McPherson Stru.	■ Safety Equipment		
Suspension (rear)	Torsion beam	ESC	—	○
Tire	185/60 R15	ABS+EBD+TPMS	●	●
■ Capacity		Driver Airbags	●	●
Seating Capacity	4	Co-driver Airbags	—	●
		7' cluster W/ Reverse image + Reverse Radar	●	—
		10.25'+10.25'dual-screen W/ Reverse Image + Reverse Radar	—	○
		Center Door Lock-Front	●	●
■ Entertainment Equipment		■ Comfort Equipment		
		EPS	●	●
		Manual Air-conditioner	●	●
		Keyless Entry	—	●
		Four-way Manual Adjustable Co-driver Seat	●	—
		Six-way Electric Adjustable driver Seat	—	●
		1 Folding Remote Control Keys	●	—
		1 PEPS System Keys	—	●
		Cruise Control	—	●
		Radio+4G network +USB +Bluetooth +Wireless Mobile-link	●	●
		Speaker	2	4

注：以上信息仅供参考并将不时更新，SGMW对以上信息拥有最终解释权 This information is for reference only, and may be amended from time to time. SGMW reserves the right of final interpretation.


SUV-B Wuling Bingo Plus(E260 MCE)



Green Exterior



Gray Exterior



Black Exterior



Light Green Interior



White Interior



SUV-B Wuling Bingo Plus(E260 MCE)




Specification		Feature		
		401km LV2		510km LV2
Model	E260 MCE			
L/W/H (mm)	4090/1720/1575			
Wheel Base(mm)	2610			
Tread (mm)	1492/1485			
Ground Clearance(Laden mm)	119			
Min Turning Radius(m)	5.45			
■ Motor & Battery		■ Charging & Battery		
Battery Capacity(kwh)	37.9/50.6	Battery Heating	●	●
Peak Power (kw/r/min)	75	3.3KW charger	●	-
Peak Torque (N.m/r/min)	180	6.6KW charger	-	●
Driving Type	FF	DC Fast charging	●	●
CLTC Range(km)	410/510			
Charging(AC SOC 20%-100%)	11h(3.3kw)/7.5h(6.6kw)			
Charging(DC fast change SOC 30%-80%)	35min/30min			
■ Chassis		■ Exterior Equipment		
Steering	EPS	Alloy Wheel	●	●
Brakes	Front Disk & Rear Disk	Automatic Headlamps	●	●
Suspension (front)	McPherson Stru.	LED Lens Headlamps	●	●
Suspension (rear)	Torsion beam	Rear Fog Lamp	●	●
Tire	185/60 R15	LED DRL	●	●
■ Capacity		■ Interior Equipment		
Seating Capacity	5	Simulated Leather +Suede Seat	●	●
Max Speed (km/h)	140	Steering Wheel Height Adjust	●	●
		Second Row 50/50 Seat W/Folding	●	●
■ Safety Equipment		■ Safety Equipment		
		ESC	●	●
		ABS+EBD+TPMS+TCS+VDC+HBA+CDP/DBF+HHC	●	●
		Dual Frontal Airbags	●	●
		Side Airbags	●	●
		Auto unlock while crash	●	●
		8.8'+10.1'dual-screen W/ Reverse Image + Reverse Radar	●	●
		Center Door Lock	●	●
■ Comfort Equipment		■ Comfort Equipment		
		EPS	●	●
		Manual Air-conditioner	●	●
		Keyless Entry	●	●
		Four-way Manual Adjustable Co-driver Seat	●	●
		Six-way Electric Adjustable driver Seat	●	●
		1 Flat Mechanical Key	●	●
		1 PEPS System Key	●	●
		Cruise Control	●	●
■ Entertainment Equipment		■ Entertainment Equipment		
		Radio+4G network +USB +Bluetooth +Wireless Mobile-link	●	●
		Speaker	4	4

注：以上信息仅供参考并将不时更新，SGMW对以上信息拥有最终解释权 This information is for reference only, and may be amended from time to time. SGMW reserves the right of final interpretation.



CAR-A Wuling Hongguang MINI EV Macaron (E50 MCE PRO)








CAR-A Wuling Hongguang MINI EV Macaron (E50 MCE PRO)



Specification		Feature	Macaron
L/W/H (mm)	3064/1493/1629	30KW Motor	215KM LV2
Wheel Base(mm)	2010	3.3KW charger + DC Fast charging	•
Tread (mm)	1290/1306	■ Exterior Equipment	•
Ground Clearance(Laden mm)	125	Rear Fog Lamp	•
Approach/Departure Angle(°)	25/36	LED Headlamp	•
■ Weight		CHMSL	•
Curb Mass (kg)	685~777	Roof Rack	•
Gross Mass(kg)	1000~1095	■ Interior Equipment	
■ Motor & Battery		Driver-side Sunvisor, w/ Mirror	•
Peak Power (kw/r/min)	30/7500	Seat Cover Material	Fabric
Peak Torque (N.m/r/min)	110/7500	ISRVM w/ Recorder Socket	•
Driving Type	RR	■ Safety Equipment	
Battery Capacity (Kw.h)	17.3	ABS+EBD	•
CLTC Mileage(km)	215	Auto door lock	•
Charging Condition	210~240V 50Hz	2 nd Row ISO-FIX	•
Charging Time(AC SOC 20%-100%) (DC fast charge SOC 30%-80%)	5~6.5 hours 35 min	Driver Seat Belt Warning	•
■ Chassis		Lower speed pedestrian alarm	•
Steering	EPS	TPMS	•
Brakes	Front Disc & Rear Drum	Auto un-lock when crash	•
Suspension (front)	McPherson Stru.	Driver air bag	•
Suspension (rear)	3-link Coil spring half isolate	Co-Driver air bag	•
Tires	145/70 R12	■ Comfort Equipment	
■ Capacity		EPS	•
Max Speed (km/h)	100	Four-way Adjustable Front Seat	•
Seating Capacity	4	Rear 50/50 Foldable Seat	•
		Power Window	•
		Remote Key w/ Central Lock	•
		Manual Air Conditioning	•
		Rear Parking Sensor	•
		Reversing Image	•
		■ Entertainment	
		Radio with USB and Bluetooth	•
		10.25" infotainment system	•
		Speakers	2

注：以上信息仅供参考并将不时更新，SGMW对以上信息拥有最终解释权 This information is for reference only, and may be amended from time to time. SGMW reserves the right of final interpretation.

VAN-D Wuling Yangguang EV(N350V EV)





VAN-D Wuling Yangguang EV(N350V EV)



Specification	Cargo	Passenger	Feature	LV1 Cargo	LV2 Cargo	LV1 Pass
■ Dimensions			■ Exterior Equipment			
Length/Width/Height (mm)	4985/1800/1975		Front LED Lens Headlamp W/Leveling Adjustable	●	●	●
Cargo Inner L/W/H (mm)	2830/1680/1365	-	Front Fog Lamp	-	●	-
Wheel Base (mm)	3050		Rear Fog Lamp	●	●	●
Tread (front/rear) (mm)	1566/1566		CHMSL	●	●	●
■ Weight			Steel Wheel	●	●	●
Curb Mass (kg)	1481-1551		270° Split Tailgate	●	●	●
Gross Mass (kg)	2860-2930		■ Interior Equipment			
■ Motor Capacity			Power Door Lock-Front & Middle Doors	●	●	●
Power Motor(Kw)	60		Manual Middle Window	-	-	●
Max Torque (N.m/r/min)	220		Middle Window Blinded	●	●	-
Driving Type	RR		Seat Material-Fabric	●	●	●
■ Battery Capacity			■ Comfort Equipment			
Lithium Battery Capacity(kwh)	31.9/41.9		Driver & Co-driver Seat Sliding & Reclining	●	●	●
CLTC Range(km)	230/300		2nd Row Foldable 2-Bench Seat	-	-	●
Charging(AC SOC 20%-100%)	6-7.5h		3rd Row Foldable 2-Bench Seat	-	-	●
Charging(DC fast change SOC 30%-80%)	30min		Front Power Window	●	●	●
■ Transmission			Front Windshield Defog & Defrost	●	●	●
Type	Single Gear		1 foldable remote key+1 flat key	●	●	●
■ Chassis & Capacity			Electric Front Air Conditioning	●	●	●
Steering	Pinion-and-Rack, Manual Steering		■ Safety Equipment			
Brakes	Front Disk & Rear Drum		EPS	●	●	●
Suspension (front)	Mac Pherson Strut		ABS+EBD	●	●	●
Suspension (rear)	Leaf Spring, Non-isolated		Reversing Sensor	●	●	●
Seating Capacity	2/6		TPMS	-	-	●
Tires	195/70 R15		3 Point ELR Seat Belts	●	●	●
■ Performance			Driver Seatbelt Voice Warning	●	●	●
Max Speed (km/h)	90	100	Driver Airbag	-	●	●
Ground Clearance(mm)	130/128(Laden)		Child-Proof Rear Door Locks	-	-	●
			■ Entertainment Equipment			
			Radio+AUX in+Blue tooth	●	-	●
			8" screen+Radio+Blue tooth+Reversing image	-	●	-
			1 Speaker	●	●	●

注：以上信息仅供参考并将不时更新，SGMW对以上信息拥有最终解释权 This information is for reference only, and may be amended from time to time. SGMW reserves the right of final interpretation.